


of Samples Tested by Expected Drug Category:

838 Samples Tested







This report summarizes key indicators for Fourier Transform Infrared (FTIR)/fentanyl test strip combination drug checking done with our partner sites around British Columbia in September 2020.

As there is 5% fentanyl detection limit on the Bruker ALPHA Fourier-Transform Infrared (FTIR) spectrometer (McCrae, 2019), a drug check on any given sample consists of <u>both</u> the FTIR <u>and</u> fentanyl test strip testing done in combination. When applicable, benzodiazepine or lysergic acid diethylamide (LSD) test strips are also used.

Benzodiazepine-positivity of opioid samples are determined using benzodiazepine test strips, which have not been formally evaluated for drug checking. Therefore, the results presented above are presumptive and tentative until confirmed by a labratory.

* "Fentanyl not tested" means that a fentanyl test stip wasn't done for the sample because the client declined to do the test, or they left before the test was able to be completed.



PUBLIC HEALTH NOTIFICATIONS

Date & Location	Expected Drug	Drugs Detected	Fentanyl Strip	Benzo Strip	Area Purchased	What does this mean?
25 September 2020- Vancouver	Down	Fentanyl	N/A	N/A	Vancouver	High level of fentanyl may cause overdose; take a tester shot and use at any OPS/SCS
25 September 2020- Vancouver	Unknown	Etodesnitazene (a novel opioid- like drug), crystal meth, cocaine, fentanyl and caffeine	N/A	N/A	Vancouver	Etodesnitazene is a new opioid-like drug and it's safety is unknown. Check your drugs and don't use alone!
25 September 2020- ASK Wellness	Down	Etizolam, fentanyl	N/A	N/A	Kamloops	High risk of overdose that may not respond to Naloxone.
17 September 2020- ASK Wellness	Down	AMB-FUBINACA (synthetic cannabinoid), fentanyl, caffeine	N/A	N/A	Kamloops	Check your drugs for unknown and unexpected substances at any local OPS/SCS!
16 September 2020- ANKORS	Down	AMB-FUBINACA (synthetic cannabinoid)	N/A	N/A	Vernon	AMB-FUBINACA can cause serious symptoms such as seizures, agitation, confusion, decreased. breathing and hallucinations.
9 September 2020- ASK Wellness	Fentanyl	Etizolam (benzo), fentanyl	Positive	Positive	Vernon	Combining benzos and down can cause extreme and prolonged symptoms
4 September 2020- Vancouver	Unknown	Furanyl UF-17, fentanyl and caffeine	N/A	N/A	North Vancouver	Check your drugs!

For information about Public Health alerts, please visit: https://www.interiorhealth.ca/AboutUs/Leadership/MHO/Pages/PHEmergency.aspx

During the month of September, **6.42**% of expected opioid samples tested positive for benzodiazepines using benzo test strips in our partner sites around BC (21 samples of 327 tested)

of Samples Tested by Region:

Total #: 838

706: Vancouver Coastal Health region (84%)



102: Interior Health region (12%)

30: Fraser Health region (4%)

of samples that matched client expectation

*using FTIR/test strip drug checking

EXPECTED DRUG: Depressant

69 Samples Tested



Matched: 43 Did not match: 25

Match not determined: 1

EXPECTED DRUG: Unknown

58 Samples Tested



Match not determined: 58

EXPECTED DRUG:

Psychedelic 156 Samples Tested




Matched: 140 Did not match: 14 Match not determined: 2

EXPECTED DRUG:

Opioid

371 Samples Tested



Matched: 348 Did not match: 18 Match not determined: 5 **EXPECTED DRUG: EXPECTED DRUG: Stimulant**

172 Samples Tested

Matched: 163

Did not match: 9

Other

10 Samples Tested



Matched: 8 Did not match: 1

Match not determined: 1

EXPECTED DRUG:

Polysubstance

2 Samples Tested



Matched: 2

Total

838 Samples Tested



Matched: 706 Did not match: 67

Match not determined: 67

of opioid samples that matched client expectation

*using FTIR/test strip drug checking

EXPECTED DRUG:

Fentanyl

185 Samples Tested



Matched: 184 Did not match: 1 **EXPECTED DRUG:**

Heroin

12 Samples Tested



Matched: 8 Did not match: 4 **EXPECTED DRUG:**

Fentanyl and heroin

8 Samples Tested



Matched: 4
Did not match: 4

EXPECTED DRUG:

Opium

3 Samples Tested




Matched: 3

EXPECTED DRUG:

Down

147 Samples Tested



Matched: 144 Did not match: 3 **EXPECTED DRUG:**

Pharmaceutical

16 Samples Tested



Matched: 5

Did not match: 6

Match not determined: 5

Total

371 Samples Tested



Matched: 348
Did not match: 18
Match not determined: 5

Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents

*'Down' can refer to any opioid drug present in any amount

Depressant may include:

benzodiazepines, GHB, zopiclone Opioid may include:

"down," heroin, fentanyl, fentanyl analogues, pharmaceutical opioids Polysubstance includes: cross-category mixtures

Psychedelic may include: 2C-family, tryptamines,

ketamine, MDMA, LSD, cannabis Stimulant may include: "speed", crystal meth, cocaine, cathinones **Unknown includes:** all samples in which the

all samples in which the client could not identify the expected substance

BCCSU gratefully acknowledges the contributions of the following partners:

Portland Hotel Society | Insite | Molson Overdose Prevention Site | SisterSpace | Overdose Prevention Society | SafePoint
The Abbotstford Community Hub | ANKORS | ASK Wellness | St. Paul's Overdose Prevention Site | Powell Street Getaway | Three Bridges



























