

Key Findings


- The percentage of opioids testing positive for benzodiazepines (20.2%) has continued on an upward trend since August.
- Several novel benzodiazepines have been identified in drug samples this month. Etizolam, bromazolam, flualprazolam, flubromazepam have been found in drugs expected to be opioids. These unregulated depressants can be significantly more potent than their regulated counterparts (e.g., diazepam (Valium), alprazolam (Xanax), clonazepam (Klonopin)).
- No stimulants or psychedelics tested positive for fentanyl this month.









Number of samples tested with fentanyl present











142 Psychedelic








PUBLIC HEALTH NOTIFICATIONS


Date & Location	Expected Drug	Drugs Detected	Fentanyl Strip	Benzo Strip	Area Purchased	Alert Message
28 January 2021- Get Your Drugs Tested, Vancouver	Hydromorphone	Microcrystialline cellulose, hydromorphone, uncertain match	Positive	Positive	DTES	Counterfeit hydromorphone pill containing very high levels of fentanyl and hydromorphone- Check your drugs!
21 January 2021- ASK Wellness, Kamloops	Down	Caffeine, mannitol, fentanyl, benzodiazepines	Positive	Positive	Kamloops	High risk of overdose with prolonged sedation. Check your drugs!
12 January 2021- Get Your Drugs Tested, Vancouver	Fentanyl	Caffeine, mannitol, fentanyl or analogue	Positive	N/A	DTES	Check your drugs for unexpected substances at any OPS!
11 January 2021- Get Your Drugs Tested, Vancouver	Fentanyl	Caffeine, W-19	Negative	Negative	Unknown	Check your drugs at any OPS and SCS for any unknown or unexpected substances!
11 January 2021- Get Your Drugs Tested, Vancouver	Fentanyl	W-19	Negative	Negative	Unknown	Effects of W-19 are unknown. Check your drugs at any OPS and SCS!
8 January 2021- ASK Wellness, Kamloops	Down	Fentanyl, AMB-FUBINACA, and may contain benzodiazepines	Positive	Positive	Kamloops	Benzos may have other side effects like hallucinations or agitation. Check your drugs!
8 January 2021- ASK Wellness, Kamloops	Down	Fentanyl and benzodiazepines	Positive	Positive	Kamloops	Check your drugs at any OPS and SCS for benzos!
8 January 2021- ASK Wellness, Kamloops	Down	Benzodiazepines, fentanyl and may contain AMB-FUBINACA	Positive	Positive	Kamloops	Check your drugs!
8 January 2021- ASK Wellness, Kamloops	Down	Etizolam, fentanyl and AMB- FUBINACA	Positive	Positive	Kamloops	High risk of overdose and AMB-FUBINACA (synthetic cannabinoid) may cause side effects such as hallucination, or agitation. May present as an atypical overdose.
8 January 2021- ASK Wellness, Vernon	Fentanyl	Caffeine, etizolam, and fentanyl	Positive	Positive	Vernon	High risk of overdose with prolonged sedation-Use at an OPS!
8 January 2021- ASK Wellness, Vernon	Fentanyl	Caffeine, mannitol, fentanyl, and AMB-FUBINACA	Positive	Positive	Vernon	Check for benzos in your drugs at any SCS or OPS!
7 January 2021- Overdose Prevention Society, Vancouver	Fentanyl	Etizolam	Negative	Positive	DTES	Benzos may cause prolonged drowsiness and decreased level of consciousness. Use at an OPS!
5 January 2021- Interior Health, Pentiction	Fentanyl	Fentanyl and benzodiazepines	Postitive	Positive	Penticton	High risk of overdose with prolonged sedationn



During the month of January, **20.2%** of expected opioid samples tested positive for benzodiazepines using test strips in our partner sites around BC **(99 samples of 490 tested).** Opioid samples are tested for benzodiazepine-positivity using BTNX test strips. The results presented above are presumptive and tentative until confirmed by a laboratory.

Number of samples tested by region:

860: Vancouver Coastal Health region (82%)



Total #: 1052

21: Fraser Health region (2%)

151: Interior Health region (14%)

20: Vancouver Island Health Region (2%)

Number of samples that matched expectation

using FTIR/test strip drug checking

EXPECTED DRUG:

Depressant

65 Samples Tested



Matched: 32
Did not match: 33

Did not match: 33

EXPECTED DRUG: Unknown

64 Samples Tested



Match not determined: 64

EXPECTED DRUG:

Psychedelic

142 Samples Tested



Matched: 127
Did not match: 14
Match not determined: 1

EXPECTED DRUG:

Stimulant

195 Samples Tested



Matched: 186 Did not match: 9 EXPECTED DRUG:

Polysubstance

4 Samples Tested




Matched: 4

EXPECTED DRUG:

Opioid

572 Samples Tested



Matched: 494
Did not match: 67
Match not determined: 11

.

Total

1052 Samples Tested



Matched: 848
Did not match: 125
Match not determined: 79

Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents

Depressant may include: benzodiazepines, etizolam, GHB, hypnotics **Opioid may include:** "down," heroin, fentanyl, pharmaceutical opioids

Polysubstance includes: cross-category mixtures

Psychedelic may include: MDMA and related, 2C-family, tryptamines, ketamine, LSD Stimulant may include: methamphetamine, "speed," cocaine and crack cocaine, cathinones Unknown includes:

samples where the individual was unable to identify an expected substance - this includes found samples.

Number of opioid samples that matched expectation

using FTIR/test strip drug checking

EXPECTED DRUG:

Fentanyl

434 Samples Tested



Matched: 378 Did not match: 56

EXPECTED DRUG:

Down

91 Samples Tested



Matched: 85 Did not match: 6 **EXPECTED DRUG:**

Heroin

43 Samples Tested



Matched: 16 Did not match: 27

EXPECTED DRUG:

Pharmaceutical

27 Samples Tested



Matched: 12 Did not match: 5

Match not determined: 10

EXPECTED DRUG:

Fentanyl and Heroin

5 Samples Tested



Matched: 2

Did not match: 3

EXPECTED DRUG:

Opium

2 Samples Tested



Matched: 2

Total

602 Samples Tested



Matched: 495 Did not match: 97

Match not determined: 10

Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents. 'Down' can refer to any opioid drug present in any amount.

Data represented here are collected from our partner sites across the province. Drug samples are tested using the Fourier Transform Infrared (FTIR) spectrometer in combination with fentanyl test strips and benzodiazapine test strips.

There is 5% fentanyl detection limit on the FTIR spectrometer (McCrae, 2019), and a drug check on any given sample consists of both the FTIR and BTNX fentanyl immunoassay test strip testing done in combination. When applicable, BTNX benzodiazepine immunoassay test strips are also used.

BCCSU gratefully acknowledges the contributions of the following partners:



































