


# **Drug Checking in Northern Health**

#### **Key Findings**

- Drug checking services with FTIR and test strips are now available in the Northern Health Region. Services are available with POUNDS in Prince George and Northern Health in Terrace.
- From the 45 samples tested in June, results seem consistent with other areas of the province. Fentanyl was detected in all opioid samples checked. No stimulants or psychedelic samples tested positive for fentanyl in June.









# **Drug Checking in Northern Health**

0

#### **PUBLIC HEALTH NOTIFICATIONS**

Date & Location | Expected Drug | Drugs Detected | Fentanyl Strip | Benzo Strip | Alert Message

No alerts from Northern Health partners this month

### Number of drugs checks at each site

Location	# of drug checks
POUNDS (Prince George)	31
Northwest ICMT (Terrace)	14

## # of samples that matched client expectation

using FTIR/test strip drug checking

**Opioid** 

16 Samples Tested



Matched: 16

EXPECTED DRUG: Stimulant

10 Samples Tested



Matched: 10

EXPECTED DRUG:

**Psychedelic** 



Matched: 12 Did Not Match: 4 EXPECTED DRUG:

Unknown

3 Samples Tested



Match not determined: 3

**Total** 

45 Samples Tested



Matched: 38
Did Not Match: 4
Match not determined: 3

### Number of opioid samples that matched client expectation

using FTIR/test strip drug checking

**EXPECTED DRUG:** 

Down

16 Samples Tested



Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents

Depressant June include: benzodiazepines, etizolam, GHB, hypnotics Opioid June include: "down," heroin, fentanyl, pharmaceutical opioids Polysubstance includes: cross-category mixtures

Psychedelic June include: MDMA and related, 2C-family, tryptamines, ketamine, LSD

Stimulant June include: methamphetamine, "speed," cocaine and crack cocaine, cathinones Unknown includes:
Samples where the individual
was unable to identify an
expected substance. This
includes found samples.

Data represented here are collected from our partner sites across the province. Drug samples are tested using the Fourier Transform Infrared (FTIR) spectrometer in combination with fentanyl test strips and benzodiazapine test strips.

There is 5% fentanyl detection limit on the FTIR spectrometer (McCrae, 2019), and a drug check on any given sample consists of <u>both</u> the FTIR <u>and</u> BTNX fentanyl immunoassay test strip testing done in combination. When applicable, BTNX benzodiazepine immunoassay test strips are also used.

#### BCCSU gratefully acknowledges the contributions of the following partners:





